Author Index of Volume 194

Abd-El-Aziz, A. S., 207
Abuhijleh, A. L., 9
Adachi, G., 201
Al-Baker, S., 243
Alessio, E., 85
Ali, A., 139
Anderegg, G., 31
Anderson, J. E., 171
Asaro, F., 1
Aubry, A., 189

Banda, S. F., 227
Baranski, A. S., 207
Bear, J. L., 243
Bernès, S., 105
Bottomley, L. A., 133
Braunstein, P., 151
Bresciani-Pahor, N., 85
Bruice, T. C., 119
Butcher, R. J., 113

Calligaris, M., 85
Campagna, S., 23
Chacko, K. K., 93
Ciano, M., 23
Clegg, W., 51
Cotton, F. A., 163, 179
Craig, N. C., 151

Darby, W. L., 113
Davies, G., 139
Dilworth, J. R., 99
Douce, L., 151
Dreos-Garlatti, R., 1

Edwards, K. D., 81
El-Sayed, M. A., 139
El-Sayrafi, O., 227

Falvello, L. R., 163
Fedin, V. P., 195
Fedorov, V. Ye., 195
Fischer, J., 151
Fuchita, Y., 213

Garelli, N., 247
Geremia, S., 1
Ghosh, S., 219
Giuffrida, G., 23
Goetz-Grandmont, G., 151
Gregor, I. K., 37
Gregor, R. C., 37
Guglielmo, G., 23
Guldi, D., 15

Heeb, G., 67
Heinzel, U., 157
Higashiyama, N., 201
Holder, G. N., 133

Ishizu, K., 57

Jeannin, Y., 105

Khokhar, A. R., 243
Kida, S., 75
Kimura, K., 201
Koikawa, M., 75
Koley, A. P., 219
Kong, P. C., 43
Kovala-Demertzi, D., 189

Lanfranchi, M., 233
Larsen, S., 139
Lu, S., 99

Maeda, Y., 75
Mandal, S. K., 179
Manoharan, P. T., 219
Matear, P. P., 227
Matt, D., 151
Mattes, R., 157
McAuliffe, C. A., 227
Melanson, R., 43
Meyerstein, D., 15
Michaelidis, A., 189
Mikami, K., 57
Mikuriya, M., 129
Milani, B., 85

Nakadera, K., 129
Niedenzu, K., 81

Oka, H., 213
Oka, S., 57
Okamura, M., 213
Ōkawa, H., 75

Panneerselvam, K., 93
Pearson, G. H., 81
Pellizer, G., 1
Piraino, P., 233
Podberezskaya, N. V., 195
Prasad, L. S., 219

Randaccio, L., 1
Raper, E. S., 51
Ren, T., 163
Reutel, C., 93

Ricevuto, V., 23
Rochon, F. D., 43
Rotondo, E., 233

Salehi, A., 119
Sawtelle, S. M., 171
Sécheresse, F., 105
Sheldrick, W. S., 67
Shirazi, A., 119
Sobhia, M. E., 93
Sokolov, M. N., 195
Suh, I.-H., 93

Tada, K., 57
Tajima, K., 57
Takemura, K., 201
Tauzher, G., 1
Tiripicchio, A., 233
Tokii, T., 129
Tresoldi, G., 233

Vallarino, L. M., 113
Vidyasagar, K., 163
Vierling, P., 247
Virovets, A. V., 195

Wasgestian, F., 15
Weber, E., 93
Wilson, J. D., 51
Winkler, K., 207
Woodrum, M. K., 81
Woods, C., 9
Wu, Q., 99

Xu, Q., 243

Zheng, Y., 99
Zubieta, J., 139

Elsevier Sequoia

Subject Index of Volume 194

Acetate complexes
direct formation of arylpalladium(II) complexes from aromatic hydrocarbons via C—H bond activation by Pd(II) acetate–dipropyl selenide system, 213
Alkoxo complexes
tris(ω-aminoalkoxy)boranes, 81
Alkylcobaloxime complexes
comparison between alkylrhodoximes and alkylcobaloximes; solution studies of some alkylrhodoximes, $pyRh(DH)_2R$, and crystal structure of complexes with $R = CH_2CF_3$, CH_2Cl, n-Pr, 1
Alkyl complexes
preparation and structural characterization of methylmercury(II) complexes of minor tRNA-base 1-methyladenine, 67
Alkylrhodoxime complexes
comparison between alkylrhodoximes and alkylcobaloximes; solution studies of some alkylrhodoximes, $pyRh(DH)_2R$, and crystal structure of complexes with $R = CH_2CF_3$, CH_2Cl, n-Pr, 1
Amine complexes
crystal structures of *trans*-dichlorobis(2,6-dimethylpyridine)Ni(II) and *trans*-dichlorobis(2,4,6-trimethylpyridine)Ni(II), 113
Pd(II) complexes of 2-acylpyridines; crystal structure of dibromo bis(phenyl-2-pyridyl ketone)Pd(II), 189
Amino complexes
tris(ω-aminoalkoxy)boranes, 81
Anion complexes
gas-phase chemistry of first transition series carbonyl metallate ions; reactions with ^{13}C-labelled carbonyl sulfide, 37
Arene complex
monomeric Ru thiolato complex with chelated η^6-arene ligand; preparation and structure of [Ru{2-(η^6-Ph)-6-PhC_6H_3S}(2,6-$Ph_2C_6H_3S$)(PPh_3)], 99
Aryl complexes
direct formation of arylpalladium(II) complexes from aromatic hydrocarbons via C–H bond activation by Pd(II) acetate–dipropyl selenide system, 213

Bidentate amine ligand complexes
synthesis and characterization of amphiphilic Pt and Pd complexes linked to perfluoroalkylated side-chain disubstituted bipyridines, 247
X-ray crystal structure of *trans-dl*-1,2-diaminocyclohexane-(*N*-methyliminodiacetato)Pt(II) complex, 243
Bidentate ligand complexes
[bis{bis(imidazolidine-2-thione)-μ_2-(imidazolidine-2-thione)-Cu(I)}] diperchlorate; synthesis and crystal structure, 51
preparation, properties and reactions with sulfur dioxide in solid state of complexes of type [$Mn(Ph_2E(O)–Y–E(O)Ph_2)_2(H_2O)_2](ClO_4)_2$ (E = As, P; Y = C_2H_4, *cis*-C_2H_2); formation of bis-sulfur dioxide complexes which contain both weakly bound and strongly bound sulfur dioxide, 227
Bidentate nitrogen ligand complexes
reactions of di-2-pyridyl sulfide with Pd(II) or Pt(II) diene or methoxydiene complexes; dynamic behaviour of cationic compounds; crystal structure of Pd(di-2-pyridyl sulfide)Cl_2, 233
Boron complexes
tris(ω-aminoalkoxy)boranes, 81

Carbonyl complexes
gas-phase chemistry of first transition series carbonyl metallate ions; reactions with ^{13}C-labelled carbonyl sulfide, 37
Carboxylato complexes
synthesis, spectroscopic and structural characterization of bis(acetato)tetrakis(imidazole)Cu(II); model complex for DNA binding, 9
Chelate complexes
Au(II) complexes with hard and soft donor ligands; reactivity study in solution using EPR spectroscopy, 219
[bis{bis(imidazolidine-2-thione)-μ_2-(imidazolidine-2-thione)-Cu(I)}] diperchlorate; synthesis and crystal structure, 51
complex formation of Ag(I) ion with some aminopolycarboxylate ligands, 31
preparation, properties and reactions with sulfur dioxide in solid state of complexes of type [$Mn(Ph_2E(O)–Y–E(O)Ph_2)_2(H_2O)_2](ClO_4)_2$ (E = As, P; Y = C_2H_4, *cis*-C_2H_2); formation of bis-sulfur dioxide complexes which contain both weakly bound and strongly bound sulfur dioxide, 227
reactions of di-2-pyridyl sulfide with Pd(II) and Pt(II) diene or methoxydiene complexes; dynamic behaviour of cationic compounds; crystal structure of Pd(di-2-pyridyl sulfide)Cl_2, 233
synthesis and characterization of amphiphilic Pt and Pd complexes linked to perfluoroalkylated side-chain disubstituted bipyridines, 247
synthesis and characterization of Fe(III) and Fe(IV) complexes of *N*-(2-hydroxyphenyl)salicylamide and homologs, 75
X-ray crystal structure of *trans-dl*-1,2-diaminocyclohexane-(*N*-methyliminodiacetato)Pt(II) complex, 243
Chelate ligand complexes
synthesis and crystal structure of *cis*-[$\overline{Pd\{Ph_2PCH_2C(O)-Ph\}_2}$][$BF_4$][$B_2F_7$]; unexpected formation and first structural characterisation of heptafluorodiborate anion $B_2F_7^-$, 151
Chromium complexes
effect of N-methylation on spectroscopical and electrochemical properties of 1,4,8,11-tetraazacyclotetradecane Cr(III) complexes, 15
Cluster complexes
synthesis and structural characterization of incomplete cubanes derived from $[MS_4Cu_4Cl_4]^{2-}$ (M = Mo,W) anions, 105
Cobalt complexes
comparison between alkylrhodoximes and alkylcobaloximes; solution studies of some alkylrhodoximes, $pyRh(DH_2)R$, and crystal structure of complexes with $R = CH_2CF_3$, CH_2Cl, n-Pr, 1
Copper complexes
[bis{bis(imidazolidine-2-thione)-μ_2-(imidazolidine-2-thione)-Cu(I)}] diperchlorate; synthesis and crystal structure, 51

properties and reactions of tetranuclear Cu(I) complexes $[LCuX]_4$ (L=*N*,*N*-dimethylamino methylferrocene; X=Cl and Br); crystal and molecular structure of $(\mu_4\text{-O})L_4Cu_4Cl_6$, 139
synthesis, spectroscopic and structural characterization of bis(acetato)tetrakis(imidazole)Cu(II); model complex for DNA binding, 9
synthesis and structural characterization of incomplete cubanes derived from $[MS_4Cu_4Cl_4]^{2-}$ (M=Mo,W) anions, 105
Crown ether complexes
luminescence of divalent Eu complexes with N-pivot lariat azacrown ethers, 201
Crystal structure(s)
of binuclear Mn(II) complex with Robson-type macrocyclic ligand, 129
of bis(acetato)tetrakis(imidazole)Cu(II), 9
of [bis{bis(imidazolidine-2-thione)-μ_2-(imidazolidine-2-thione)Cu(I)}] diperchlorate, 51
of *trans-dl*-1,2-diaminocyclohexane(*N*-methyliminodiacetato)Pt(II) complex, 243
of dibromo bis(phenyl-2-pyridyl ketone)Pd(II), 189
of *trans*-dichlorobis(2,6-dimethylpyridine)Ni(II) and *trans*-dichlorobis(2,4,6-trimethylpyridine)Ni(II), 113
of 2:1 complex of Hg(II) chloride with trithiapyridino-12-crown-4, 93
of incomplete cubanes derived from $[MS_4Cu_4Cl_4]^{2-}$ (M=Mo,W) anions, 105
of methylmercury(II) complexes of minor tRNA-base 1-methyladenine, 67
of mixture of Li[*fac*-$RuCl_nBr_{3-n}(DMSO)_3$] isomers (n=0–3), 85
of $[Mo_3S_7(S_2CNEt_2)_3]_2(TCNQ)_2$, 195
of $(\mu_4\text{-O})L_4Cu_4Cl_6$ (L=*N*,*N*-dimethylaminomethylferrocene), 139
of Pd(di-2-pyridyl sulfide)Cl_2, 233
of $[Pd(L^1)_2]Cl_2\cdot H_2O$, $[Pt(L^1)_2](PF_6)_2$ and $[Pd_3(L^1)_4Cl_2]Cl_4\cdot 2H_2O$ (L^1=1-thia-4,7-diazacyclononane), 157
of *cis*-$[\overline{Pd\{Ph_2PCH_2C(O)Ph\}_2}][BF_4][B_2F_7]$, 151
of pyRh(DH_2R) with R=CH_2CF_3, CH_2Cl, n-Pr, 1
of [Ru{2-(η^6-Ph)-6-PhC_6H_3S}(2,6-$Ph_2C_6H_3S$)(PPh_3)], 99
of $[Tc(O)(C_5H_{12}N_2S)_2((CH_3)_2NCSS)](PF_6)_2$ and $[Tc(DPPE)_2((CH_3)_2NCSS)](PF_6)$, 43
of three tetrakis(triazeno)diruthenium compounds, 163
of *cis-mer*-$WOBr_2(PMe_2Ph)_3\cdot 0.5C_7H_8$ and $WOBr_2(PR_3)_3$, where PR_3=PMe_2Ph or $PMePh_2$, 179
Cyclopentadienyl complexes
solvent and temperature effects on electrochemical reduction of some η^5-cyclopentadienyliron hexafluorophosphates of η^6-polycyclic and η^6-heterocyclic complexes, 207

Dimethyl sulfoxide complexes
synthesis of $RuBr_2(DMSO)_3$ revisited; mixture of Li[*fac*-$RuCl_nBr_{3-n}(DMSO)_3$] isomers (n=0–3) is reaction product, 85
Dinuclear complexes
preparation and structural characterization of three tetrakis(triazeno)diruthenium compounds, 163
Dithiocarbamato complexes
rearrangement of tetramethylthiourea to dimethyldithiocarbamate and crystal structures of $[Tc(O)(C_5H_{12}N_2S)_2((CH_3)_2NCSS)](PF_6)_2$ and $[Tc(DPPE)_2((CH_3)NCSS)](PF_6)$, 43
synthesis and crystal structure of $[Mo_3S_7(S_2CNEt_2)_3]_2(TCNQ)_2$; salt of radical anion and cluster cation, 195
Electrochemistry
absorption spectra, luminescence properties and electrochemical behaviour of Ru(II) complexes containing bis(pyridyl)triazole ligands, 23
effect of N-methylation on spectroscopical and electrochemical properties of 1,4,8,11-tetraazacyclotetradecane Cr(III) complexes, 15
in situ generation and characterization of Au(I) complexes from $K[AuCl_4]$ in aqueous solutions, 171
redox tuning of binuclear Re(V) complexes, influence of pyridine substituents on voltammetry of μ-oxobis[*cis*-dichloro-*cis*-dipyridyloxorhenium(V)], 133
solvent and temperature effects on electrochemical reduction of some η^5-cyclopentadienyliron hexafluorophosphates of η^6-polycyclic and η^6-heterocyclic complexes, 207
Europium complexes
luminescence of divalent Eu complexes with N-pivot lariat azacrown ethers, 201

Gold complexes
Au(II) complexes with hard and soft donor ligands; reactivity study in solution using EPR spectroscopy, 219
in situ generation and characterization of Au(I) complexes from $K[AuCl_4]$ in aqueous solutions, 171

Halide complexes
synthesis of $RuBr_2(DMSO)_3$ revisited; mixture of Li[*fac*-$RuCl_nBr_{3-n}(DMSO)_3$] isomers (n=0–3) is reaction product, 85
Heterocyclic ligand complexes
solvent and temperature effects on electrochemical reduction of some η^5-cyclopentadienyliron hexafluorophosphates of η^6-polycyclic and η^6-heterocyclic complexes, 207

Imidazole complexes
synthesis, spectroscopic and structural characterization of bis(acetato)tetrakis(imidazole)Cu(II); model complex for DNA binding, 9
Iron complexes
autoreduction of six-coordinate Fe(III)TPP–peroxide complex by heterolytic Fe–O bond cleavage, 57
propensity toward formation of higher aggregates in anionic and cationic Fe tetraphenylporphyrin μ-oxo dimers; evidence from ^1H and ^{13}C NMR spectroscopy, 119
solvent and temperature effects on electrochemical reduction of some η^5-cyclopentadienyliron hexafluorophosphate of η^6-polycyclic and η^6-heterocyclic complexes, 207
synthesis and characterization of Fe(III) and Fe(IV) complexes of *N*-(2-hydroxyphenyl)salicylamide and homologs, 75

Luminescence
absorption spectra, luminescence properties and electrochemical behaviour of Ru(II) complexes containing bis(pyridyl)triazole ligands, 23
of divalent Eu complexes with N-pivot lariat azacrown ethers, 201

Macrocyclic ligand complexes
crystal structure of 2:1 complex of Hg(II) chloride with trithiapyridino-12-crown-4 having unusual Hg coordination, 93

effect of N-methylation on spectroscopical and electrochemical properties of 1,4,8,11-tetraazacyclotetradecane Cr(III) complexes, 15
novel elimination reaction of hydroxyethyl group in Mn complex; formation of binuclear Mn(II) complex with Robson-type macrocyclic ligand, 129
Pd(II) and Pt(II) complexes of 1-thia-4,7-diazacyclononane (L^1); crystal structures of $[Pd(L^1)_2]Cl_2 \cdot H_2O$, $[Pt(L^1)_2](PF_6)_2$ and $[Pd_3(L^1)_4Cl_2]Cl_4 \cdot 2H_2O$, 157
Manganese complexes
novel elimination reaction of hydroxyethyl group on Mn complex; formation of binuclear Mn(II) complex with Robson-type macrocyclic ligand, 129
preparation, properties and reactions with sulfur dioxide in solid state of complexes of type $[Mn(Ph_2E(O)–Y–E(O)Ph_2)_2(H_2O)_2](ClO_4)_2$ (E = As, P; Y = C_2H_4, *cis*-C_2H_2); formation of bis-sulfur dioxide complexes which contain both weakly bound and strongly bound sulfur dioxide, 227
Mercury complexes
crystal structure of 2:1 complex of Hg(II) chloride with trithiapyridino-12-crown-4 having unusual Hg coordination, 93
preparation and structural characterization of methylmercury(II) complexes of minor tRNA-base 1 methyladenine, 67
Molybdenum complexes
synthesis and crystal structure of $[Mo_3S_7(S_2CNEt_2)_3]_2(TCNQ)_2$; salt of radical anion and cluster cation, 195
synthesis and structural characterization of incomplete cubanes derived from $[MS_4Cu_4Cl_4]^{2-}$ (M = Mo,W) anions, 105

Nickel complexes
crystal structure(s) of *trans*-dichlorobis(2,6-dimethylpyridine)Ni(II) and *trans*-dichlorobis(2,4,6-trimethylpyridine)Ni(II), 113
Nitrogen donor ligand complexes
Au(II) complexes with hard and soft donor ligands; reactivity study in solution using EPR spectroscopy, 219
Nucleobase complexes
preparation and structural characterization of methylmercury(II) complexes of minor tRNA-base 1-methyladenine, 67

Oxo complexes
propensity toward formation of higher aggregates in anionic and cationic Fe tetraphenylporphyrin μ-oxo dimers; evidence from ^1H and ^{13}C NMR spectroscopy, 119
redox tuning of binuclear Re(V) complexes; influence of pyridine substituents on voltammetry of μ-oxobis[*cis*-dichloro-*cis*-dipyridyloxorhenium(V)], 133
syntheses and structural characterization of three WOX_2L_3 type complexes; crystal structures of *cis-mer*-$WOBr_2(PMe_2Ph)_3 \cdot 0.5C_7H_8$ and $WOBr_2(PR_3)_3$, where PR_3 = PMe_2Ph or $PMePh_2$, 179

Palladium complexes
direct formation of arylpalladium(II) complexes from aromatic hydrocarbons via C–H bond activation by Pd(II) acetate–dipropyl selenide system, 213
Pd(II) complexes of 2-acylpyridines; crystal structure of dibromo bis(phenyl-2-pyridyl ketone)Pd(II), 189
Pd(II) and Pt(II) complexes of 1-thia-4,7-diazacyclononane (L^1); crystal structures of $[Pd(L^1)_2]Cl_2 \cdot H_2O$, $[Pt(L^1)_2](PF_6)_2$ and $[Pd_3(L^1)_4Cl_2]Cl_4 \cdot 2H_2O$, 157
reactions of di-2-pyridyl sulfide with Pd(II) and Pt(II) diene or methoxydiene complexes; dynamic behaviour of cationic compounds; crystal structure of Pd(di-2-pyridyl sulfide)Cl_2, 233
synthesis and characterization of amphiphilic Pt and Pd complexes linked to perfluoroalkylated side-chain disubstituted bipyridines, 247
synthesis and crystal structure of *cis*-$[\overline{Pd\{Ph_2PCH_2C(O)Ph\}_2}][BF_4][B_2F_7]$; unexpected formation and first structural characterisation of heptafluorodiborate anion $B_2F_7^-$, 151
Peroxide complexes
autoreduction of six-coordinate Fe(III)TPP–peroxide complex by heterolytic Fe–O bond cleavage, 57
Platinum complexes
Pd(II) and Pt(II) complexes of 1-thia-4,7-diazacyclononane (L^1); crystal structures of $[Pd(L^1)_2]Cl_2 \cdot H_2O$, $[Pt(L^1)_2](PF_6)_2$ and $[Pd_3(L^1)_4Cl_2]Cl_4 \cdot 2H_2O$, 157
reactions of di-2-pyridyl sulfide with Pd(II) or Pt(II) diene or methoxydiene complexes; dynamic behaviour of cationic compounds; crystal structure of Pd(di-2-pyridyl sulfide)Cl_2, 233
synthesis and characterization of amphiphilic Pt and Pd complexes linked to perfluoroalkylated side-chain disubstituted bipyridines, 247
X-ray crystal structure of *trans-dl*-1,2-diaminocyclohexane-(*N*-methyliminodiacetato)Pt(II) complex, 243
Polydentate ligand complexes
complex formation of Ag(I) ion with some aminopolycarboxylate ligands, 31
synthesis and characterization of Fe(III) and Fe(IV) complexes of *N*-(2-hydroxyphenyl)salicylamide and homologs, 75
Polynuclear complexes
properties and reactions of tetranuclear Cu(I) complexes $[LCuX]_4$ (L = *N*,*N*-dimethylamino methylferrocene; X = Cl and Br); crystal and molecular structure of $(\mu_4\text{-O})L_4Cu_4Cl_6$, 139
Porphyrin complexes
propensity toward formation of higher aggregates in anionic and cationic Fe tetraphenylporphyrin μ-oxo dimers; evidence from ^1H and ^{13}C NMR spectroscopy, 119
Pyridine complexes
redox tuning of binuclear Re(V) complexes, influence of pyridine substituents on voltammetry of μ-oxobis[*cis*-dichloro-*cis*-dipyridyloxorhenium(V)], 133

Rhenium complexes
redox tuning of binuclear Re(V) complexes; influence of pyridine substituents on voltammetry of μ-oxobis[*cis*-dichloro-*cis*-dipyridyloxorhenium(V)], 133
Rhodium complexes
comparison between alkylrhodoximes and alkylcobaloximes; solution studies of some alkylrhodoximes, $pyRh(DH)_2R$, and crystal structure of complexes with R = CH_2CF_3, CH_2Cl, n-Pr, 1
Ruthenium complexes
absorption spectra, luminescence properties and electrochemical behaviour of Ru(II) complexes containing bis(pyridyl)triazole ligands, 23
monomeric Ru thiolato complex with chelated η^6-arene ligand; preparation and structure of [Ru{2-(η^6-Ph)-6-PhC_6H_3S}(2,6-$Ph_2C_6H_3S$)(PPh_3)], 99

preparation and structural characterization of three tetrakis(triazeno)diruthenium compounds, 163
synthesis of $RuBr_2(DMSO)_3$ revisited; mixture of Li[*fac*-$RuCl_nBr_{3-n}(DMSO)_3$] isomers ($n=0$–3) is reaction product, 85

Silver complexes
complex formation of Ag(I) ion with some aminopolycarboxylate ligands, 31
Sulfur dioxide complexes
preparation, properties and reactions with sulfur dioxide in solid state of complexes of type $[Mn(Ph_2E(O)–Y–E(O)Ph_2)_2(H_2O)_2](ClO_4)_2$ (E = As, P; Y = C_2H_4, *cis*-C_2H_2); formation of bis-sulfur dioxide complexes which contain both weakly bound and strongly bound sulfur dioxide, 227
Sulfur donor ligand complexes
Au(II) complexes with hard and soft donor ligands; reactivity study in solution using EPR spectroscopy, 219

TCNQ complexes
synthesis and crystal structure of $[Mo_3S_7(S_2CNEt_2)_3]_2(TCNQ)_2$; salt of radical anion and cluster cation, 195
Technetium complexes
rearrangement of tetramethylthiourea to dimethyldithiocarbamate and crystal structures of $[Tc(O)(C_5H_{12}N_2S)_2((CH_3)_2NCSS)](PF_6)_2$ and $[Tc(DPPE)_2((CH_3)_2NCSS)](PF_6)$, 43
Thermodynamics
complex formation of Ag(I) ion with some aminopolycarboxylate ligands, 31
Thiolato complex
monomeric Ru thiolato complex with chelated η^6-arene ligand; preparation and structure of [Ru{2-(η^6-Ph)-6-PhC_6H_3S}(2,6-$Ph_2C_6H_3S$)(PPh_3)], 99
Transition metal complexes
gas-phase chemistry of first transition series carbonyl metallate ions; reactions with ^{13}C-labelled carbonyl sulfide, 37
Triazenate complexes
preparation and structural characterization of three tetrakis(triazeno)diruthenium compounds, 163
Triazole complexes
absorption spectra, luminescence properties and electrochemical behaviour of Ru(II) complexes containing bis(pyridyl)triazole ligands, 23
Tryptophan complexes
autoreduction of six-coordinate Fe(III)TPP–peroxide complex by heterolytic Fe–O bond cleavage, 57
Tungsten complexes
synthesis and structural characterization of incomplete cubanes derived from $[MS_4Cu_4Cl_4]^{2-}$ (M = Mo,W) anions, 105
synthesis and structural characterization of three WOX_2L_3 type complexes; crystal structures of *cis-mer*-$WOBr_2(PMe_2Ph)_3 \cdot 0.5C_7H_8$ and $WOBr_2(PR_3)_3$, where PR_3 = PMe_2Ph or $PMePh_2$, 179